



VERÇADE WALL FASHION

POTENTIAL AREAS OF APPLICATION

UNDER 2018 INTERNATIONAL BUILDING CODE®*

		Sprinklered ¹	Non-Sprinklered ¹	
CORPORATE / OFFICE ²	Corridors / Hallways	■	□	
	Computer Rooms	■	■	
	Copier Rooms	■	■	
	Library Rooms (in Law Offices, A&D Firms, etc.)	■	■	
	Lunchrooms	■	■	
	Offices & Conference Rooms	■	■	
	Restrooms	■	■	
	Utility & Storage Rooms	■	■	
RETAIL / SERVICE	Banks	■	□	
	Barber Shops & Beauty Salons	■	□	
	Department Stores & Mass Merchants (Open/Main Areas)	■	□	
	Drug Stores	■	□	
	Grocery Stores	■	□	
	Professional Dry-Cleaning Facilities	■	□	
	Wholesale-Good Stores	■	□	
	Changing / Dressing Rooms (Partitioned/Separated from Other Areas)	■	■	
	Home Theater Rooms	■	■	
	Stock / Storage Rooms	■	■	
MULTI-FAMILY ²	Common/Shared Areas	Apartment Complexes	■	□
		Boarding Houses	■	□
		Convents, Monasteries	■	□
		Dormitories	■	□
		Fraternities, Sororities	■	□
		Vacation Timeshare Properties	■	□
	Private Chambers Within	Apartment Complexes	■	■
		Boarding Houses	■	■
		Convents, Monasteries	■	■
		Dormitories	■	■
		Fraternities, Sororities	■	■
		Vacation Timeshare Properties	■	■

		Sprinklered ¹	Non-Sprinklered ¹
EDUCATIONAL	Auditoriums	■	□
	Cafeterias / Dining	■	□
	Classrooms / Lecture Halls	■	□
	Corridors / Hallways	■	□
	Laboratories	■	□
	Libraries	■	□
	Computer Labs	■	■
	Offices / Conference Rooms	■	■
	Teachers' Lounges	■	■
HOSPITALITY ^{2,3}	Art Galleries, Exhibition Halls	■	□
	Bars, Cafés, Restaurants, Taverns	■	□
	Casinos (Gaming Areas)	■	□
	Dance Halls, Nightclubs	■	□
	Hotels/Motels – Corridors/Hallways	■	□
	Hotels/Motels – Guest Rooms	■	■
HEALTHCARE / INSTITUTIONAL	Alcohol & Drug Centers	■	□
	Assisted Living Facilities	■	□
	Congregate Care Facilities	■	□
	Group Homes	■	□
	Halfway Houses	■	□
	Residential Board & Care Facilities	■	□
Social Rehabilitation Facilities	■	□	

*Verçade is published as a Class C interior wall finish material based upon the information contained in the 2018 International Building Code®. **Building and fire codes can vary by state, county, and/or city, and thus the Potential Areas of Application can, as well. Please consult your local building inspector and/or fire marshal for more information. The information contained within this document is not intended to replace professional advice or for use in making compliance or safety decisions.**

State, county, and/or city building and fire codes often require Class A or Class B interior wall and ceiling finish materials for areas of ingress/egress. Special consideration should be given when specifying materials for such areas. Please consult your local building inspector and/or fire marshal for more information.

Use and Occupancy Classification Groups (Market Segments) are defined/detailed in the 2018 International Building Code.

- Designations and requirements of "Sprinklered" and "Non-Sprinklered" are defined/detailed in the 2018 International Building Code.
- Class A or Class B interior wall and ceiling finish materials are often required for (the upper floors of) high-rise hotels, high-rise office buildings, and high-rise multi-family structures (e.g. apartment buildings). Special consideration should be given when specifying materials for such buildings/structures. Please consult your local building inspector and/or fire marshal for more information.
- Requirements for interior wall and ceiling finish materials in Places of Assembly (e.g. Art Galleries, Exhibition Halls; Bars, Cafés, Restaurants, Taverns; Casinos; Dance Halls, Nightclubs, etc.) can depend upon occupancy load. Please consult your local building inspector and/or fire marshal for more information.